

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/543,055	04/05/2000		Gopal Parupudi	MS1-514US	7235
22801	7590	09/23/2004		EXAMINER	
LEE & HAYES PLLC 421 W RIVERSIDE AVENUE SUITE 500			KLINGER, SCOTT M		
SPOKANE, WA 99201			,	ART UNIT	PAPER NUMBER
01 012 11 12,				2152	

DATE MAILED: 09/23/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

,	Application No.	Applicant(s)	
	09/543,055	PARUPUDI ET AL.	
Office Action Summary	Examiner	Art Unit	
	Scott M. Klinger	2153	
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with t	he correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply  - If NO period for reply is specified above, the maximum statutory period  - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply y within the statutory minimum of thirty (30 will apply and will expire SIX (6) MONTHS accuse the application to become ABANI	be timely filed  O) days will be considered timely.  I from the mailing date of this communication.  ONED (35 U.S.C. § 133).	.1
Status			
1) Responsive to communication(s) filed on <u>05 A</u> 2a) This action is <b>FINAL</b> . 2b) This  3) Since this application is in condition for alloward closed in accordance with the practice under E	action is non-final. nce except for formal matters		
Disposition of Claims			
4) Claim(s) 1-80 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-80 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o  Application Papers  9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine 11) The oath or declaration is objected to by the Examine 11) The oath or declaration is objected to by the Examine 11)	wn from consideration.  or election requirement.  er.  epted or b) objected to by drawing(s) be held in abeyance tion is required if the drawing(s)	See 37 CFR 1.85(a). is objected to. See 37 CFR 1.121(d).	
Priority under 35 U.S.C. § 119			
<ul> <li>12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority document</li> <li>2. Certified copies of the priority document</li> <li>3. Copies of the certified copies of the priority application from the International Bureau</li> <li>* See the attached detailed Office action for a list</li> </ul>	ts have been received. ts have been received in App rity documents have been re u (PCT Rule 17.2(a)).	lication No ceived in this National Stage	
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 10 IDS Statements.	Paper No(s)/N	nmary (PTO-413) fail Date mal Patent Application (PTO-152)	

### **DETAILED ACTION**

Claims 1-80 are pending.

#### **Priority**

No claim for priority has been made. The effective filing date for subject matter in the application is 5 April 2000.

## Claim Rejections - 35 USC § 112

Claims 20, 21, 48, 49 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In referring to claims 20 and 48, the difference between a "trust parameter" and a "confidence parameter" is unclear, as the accepted definition of confidence is "trust or faith in a person or thing."

In referring to claim 21, said claim depends on claim 20.

In referring to claim 49, said claim depends on claim 48.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant

Art Unit: 2153

for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 2, 9, 10, 22, 23, 30, 31, 38, 39, 50, 51, 58, 64, 77, and 78 are rejected under 35 U.S.C. 102(e) as being anticipated by Merriam (U.S. Patent Number 6,401,051, hereinafter "Merriam").

# In referring to claim 1,

- Determining whether any of a number of context providers are available to provide context information that can be processed by the computing device to ascertain its context:
  - "The positioning stations 106 may be either space-based (e.g. satellites) or terrestrial based (e.g. earth base stations). For purposes of the present invention, any mechanism that is capable of providing positioning signals which may be used to determine the location of an object can serve as a positioning station." (Merriam, col. 2, line 65 col. 3, line 4), both space-based and terrestrial based context providers have a limited range, and therefore will not be available for every location. Determining whether any context providers are available is inherently implied in a device that uses context providers to determine its location
- Receiving context information from one or more of the context providers that are
  determined to be available; processing the context information on the computing device
  to determine the context of the computing device:
  - "The positioning device receives positioning signals from one or more positioning stations, and based upon the positioning signals, determines the current location of the positioning device" (Merriam, col. 2, lines 16-19)

#### In referring to claim 2,

• The computing device is a mobile computing device.

"As shown in FIG. 2a, the positioning device 102 comprises a main bus 210 and a plurality of components coupled to the main bus 210, including a processor 212, a storage 214 (e.g. a hard drive), and a working memory 224. The storage 214 contains therein a set of location instructions 216 which are executed by the processor 212 to carry out the methodology of the present invention." (Merriam, col. 3, lines 44-51), A mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

## In referring to claim 9,

• The computing device is configured to determine whether any of the number of context providers are available:

Merriam, col. 2, line 65 - col. 3, line 4 (see full quote above), both space-based and terrestrial based context providers have a limited range, and therefore will not be available for every location. Determining whether any context providers are available is inherently implied in a device that uses context providers to determine its location

#### In referring to claim 10,

• The computing device is configured to determine whether any of the number of context providers are available by polling one or more of the context providers:

A system in which a portable device receives a signal from a context provider and processes said signal inherently implies polling said context provider for said signal

# In referring to claim 22,

• Determine whether any of a number of context providers are available to provide context information that can be processed by the computing device to ascertain its context:

Merriam, col. 2, line 65 - col. 3, line 4 (see full quote above), both space-based and terrestrial based context providers have a limited range, and therefore will not be

Art Unit: 2153

available for every location. Determining whether any context providers are available is inherently implied in a device that uses context providers to determine its location

• Receive context information from one or more of the context providers that are determined to be available; and process the context information on the computing device to determine the context of the computing device.

Merriam, col. 2, lines 16-19 (see full quote above)

## In referring to claim 23,

• The computing device comprises a mobile computing device.

Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

## In referring to claim 30,

 Determining whether any of a number of location providers are available to provide location information that can be processed by the computing device to ascertain its location:

Merriam, col. 2, line 65 - col. 3, line 4 (see full quote above), both space-based and terrestrial based context providers have a limited range, and therefore will not be available for every location. Determining whether any context providers are available is inherently implied in a device that uses context providers to determine its location

Receiving location information from one or more of the location providers that are
determined to be available; and processing the location information on the computing
device to determine the location of the computing device.

Merriam, col. 2, lines 16-19 (see full quote above)

## In referring to claim 31,

• *Merriam, col. 3, lines 44-51* (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

In referring to claim 38,

• The computing device is configured to determine whether any of the number of context providers are available:

Merriam, col. 2, line 65 - col. 3, line 4 (see full quote above), both space-based and terrestrial based context providers have a limited range, and therefore will not be available for every location. Determining whether any context providers are available is inherently implied in a device that uses context providers to determine its location

In referring to claim 39,

• The computing device is configured to determine whether any of the number of location providers are available by polling one or more of the location providers:

A system in which a portable device receives a signal from a context provider and processes said signal inherently implies polling said context provider for said signal

In referring to claim 50,

Determine whether any of a number of location providers are available to provide location information that can be processed by the computing device to ascertain its location:

Merriam, col. 2, line 65 - col. 3, line 4 (see full quote above), both space-based and terrestrial based location providers have a limited range, and therefore will not be available for every location. Determining whether any location providers are available is inherently implied in a device that uses context providers to determine its location

• Receive location information from one or more of the location providers that are determined to be available; and process the location information on the computing device to determine the location of the computing device:

Merriam, col. 2, lines 16-19 (see full quote above)

Art Unit: 2153

In referring to claim 51,

• The computer-readable media of claim 50, wherein the computing device comprises a mobile computing device:

Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

In referring to claim 58,

A computing device that embodies the computer-readable medium of claim 50:
 Merriam, Fig. 2A, shows a device 104 with computer-readable storage 214 with instructions 216 that are read by processor 212

In referring to claim 64,

• A mobile computing device that embodies the computer-readable medium of claim 50: Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

In referring to claim 77,

- A computer-readable medium:
   Merriam, Fig. 2A, shows a computer-readable storage 214 with instructions 216 that are
- read by processor 212
   A context service module on the computer-readable medium and configured to process information from multiple different context providers to determine a context decise.

information from multiple different context providers to determine a current device context:

Merriam, Fig. 2A, shows instructions 216 that are read by processor 212 to interpret signals from the different context providers 106

The context service module being configured to:

• Determine whether any of a number of context providers are available to provide context information that can be processed by the computing device to ascertain its context:

Art Unit: 2153

Merriam, col. 2, line 65 - col. 3, line 4 (see full quote above), both space-based and terrestrial based context providers have a limited range, and therefore will not be available for every location. Determining whether any context providers are available is inherently implied in a device that uses context providers to determine its location

Receive context information from one or more of the context providers that are
determined by the device to be available; and process the context information on the
computing device to determine the context of the computing device.

Merriam, col. 2, lines 16-19 (see full quote above)

In referring to claim 78,

• The computing device of claim 77 embodied as a mobile computing device.

Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 3, 11, 12, 14, 15, 24, 32, 40, 42, 43, 52, and 79 are rejected under 35 U.S.C. 103(a) as being unpatentable over Merriam in view of Wang (U.S. Patent Number 5,539,922, hereinafter "Wang").

In referring to claim 3, Merriam shows substantial features of the claimed invention, including:

• The system of claim 1 (see 102 rejection above)

Art Unit: 2153

• The device is a mobile computing device:

Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

However, Merriam does not explicitly show that the device is handheld. The device of Merriam is transported to various locations and is therefore portable. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam as a handheld device in order to minimize the size and weight of said device to facilitate transportation.

In referring to claim 11, Merriam shows substantial features of the claimed invention, including the system of claim 1 (see 102 rejection above). However, Merriam is silent as to the exact operation of the context providers. In the system of Merriam a mobile device relies on context providers to operate. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of configuring said device to receive events that pertain to the status of the context providers, as the context providers are necessary for the operation of said device.

In referring to claim 12, Merriam shows substantial features of the claimed invention, including the system of claim 1 (see 102 rejection above). However, Merriam is silent as to how the system would operate if no context providers were available. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam to use a default value because there is no other way to obtain one.

In referring to claim 14, Merriam shows substantial features of the claimed invention, including the system of claim 12 (see 103 rejection above). However, Merriam is silent as to how the system would operate if no context providers were available. The purpose of the device of Merriam is to determine the context of said device. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of

Art Unit: 2153

Merriam to continue searching for context providers when none are available so as to provide the context of the device once a context provider becomes available.

In referring to claim 15, Merriam shows substantial features of the claimed invention, including the system of claim 14 (see 103 rejection above). However, Merriam is silent as to how the system would operate if no context providers were available. The purpose of the device of Merriam is to determine the context of said device. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam to use the current context until one or more context providers becomes available, as there is no other means to determine the context.

In referring to claim 24, Merriam shows substantial features of the claimed invention, including:

- The system of claim 22 (see 102 rejection above)
- The device is a mobile computing device:

  Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

However, Merriam does not explicitly show that the device is handheld. The device of Merriam is transported to various locations and is therefore portable. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam as a handheld device in order to minimize the size and weight of said device to facilitate transportation.

In referring to claim 32, Merriam shows substantial features of the claimed invention, including:

- The system of claim 30 (see 102 rejection above)
- The device is a mobile computing device:

Art Unit: 2153

Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

However, Merriam does not explicitly show that the device is handheld. The device of Merriam is transported to various locations and is therefore portable. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam as a handheld device in order to minimize the size and weight of said device to facilitate transportation.

In referring to claim 40, Merriam shows substantial features of the claimed invention, including the system of claim 30 (see 102 rejection above). However, Merriam is silent as to how the system would operate if no context providers are available. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam to use a default value because there is no other way to obtain one.

In referring to claim 42, Merriam shows substantial features of the claimed invention, including the system of claim 40 (see 103 rejection above). However, Merriam is silent as to how the system would operate if no context providers were available. The purpose of the device of Merriam is to determine the context of said device. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam to continue searching for context providers when none are available so as to provide the context of the device once a context provider becomes available.

In referring to claim 43, Merriam shows substantial features of the claimed invention, including the system of claim 42 (see 103 rejection above). However, Merriam is silent as to how the system would operate if no context providers were available. The purpose of the device of Merriam is to determine the context of said device. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam to use the current context until one or more context providers becomes available, as there is no other means to determine the context.

Art Unit: 2153

In referring to claim 52, Merriam shows substantial features of the claimed invention, including:

- The system of claim 50 (see 102 rejection above)
- The device is a mobile computing device:

  Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

However, Merriam does not explicitly show that the device is handheld. The device of Merriam is transported to various locations and is therefore portable. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam as a handheld device in order to minimize the size and weight of said device to facilitate transportation.

In referring to claim 79, Merriam shows substantial features of the claimed invention, including:

- The system of claim 77 (see 102 rejection above)
- The device is a mobile computing device:

  Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

However, Merriam does not explicitly show that the device is handheld. The device of Merriam is transported to various locations and is therefore portable. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam as a handheld device in order to minimize the size and weight of said device to facilitate transportation.

Claims 4-7, 25-28 etc... are rejected under 35 U.S.C. 103(a) as being unpatentable over Merriam in view of Wang (U.S. Patent Number 5,539,922, hereinafter "Wang").

Application/Control Number: 09/543,055 Page 13

Art Unit: 2153

In referring to claim 4, although Merriam shows substantial features of the claimed invention, including the system of claim 1 (see 102 rejection above), Merriam is silent as to the specifics of how the location is determined. Merriam does not show mapping the context information to a node on a hierarchical tree structure that is carried on the device, the hierarchical tree structure comprising multiple nodes that represent physical or logical entities; and traversing one or more nodes of the tree structure to ascertain a complete context. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Wang.

In analogous art, Wang discloses a multiple tree hierarchical portable communication system and method. Wang shows a communication system with hierarchical system of nodes organized into multiple node trees (Wang, Fig. 12 and Fig. 22), the hierarchical system is capable of tracking the location of the transceiver as it moves between nodes and the hierarchical tree structure (Wang, col. 12, lines 18-41).

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and the advantage of modifying the system of Merriam by employing the system of Wang in order to provide a method of mapping the context information to a node on a hierarchical tree structure and for the advantage of efficiently tracking a device location in a hierarchical system.

In referring to claim 5, Merriam in view of Wang shows,

• The traversing comprises traversing multiple hierarchical tree structures that are carried on the device:

"FIG. 22 shows a hierarchical communication system having multiple trees in accordance with a third embodiment of the present invention." (Wang, col. 18, lines 51-53)

In referring to claim 6, Merriam in view of Wang shows,

• The tree structures are linked:

"Each of the root nodes, 800, 820 and 835 is shown to be coupled the other root nodes in order that a call between a customer at one tree may be made to a customer at another tree." (Wang, col. 19, lines 8-11)

In referring to claim 7, Merriam in view of Wang shows,

 One of the tree structures comprises nodes that represent geographical divisions of the Earth:

Wang, Fig. 1 shows a tree structure that comprises nodes that represent geographical divisions of the Earth

In referring to claim 8, Merriam in view of Wang shows,

 One of the tree structures comprises nodes that represent geographical divisions of the Earth, and another of the tree structures comprises nodes that represent an organizationspecific structure:

Wang, Fig. 22 shows multiple tree structures 835, 820, and 800. The tree structures 835, 820, and 800 represent geographical locations on the Earth, and are organization-specific, as each represents a state, and each state is an organization with its own governing body.

In referring to claim 25, although Merriam shows substantial features of the claimed invention, including the system of claim 22 (see 102 rejection above), Merriam is silent as to the specifics of how the location is determined. Merriam does not show mapping the context information to a node on a hierarchical tree structure that is carried on the device, the hierarchical tree structure comprising multiple nodes that represent physical or logical entities; and traversing one or more nodes of the tree structure to ascertain a complete context. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Wang.

In analogous art, Wang discloses a multiple tree hierarchical portable communication system and method. Wang shows a communication system with hierarchical system of nodes organized into multiple node trees (Wang, Fig. 12 and Fig. 22), the hierarchical system is capable of

Art Unit: 2153

tracking the location of the transceiver as it moves between nodes and the hierarchical tree structure (Wang, col. 12, lines 18-41).

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and the advantage of modifying the system of Merriam by employing the system of Wang in order to provide a method of mapping the context information to a node on a hierarchical tree structure and for the advantage of efficiently tracking a device location in a hierarchical system.

In referring to claim 26, Merriam in view of Wang shows,

• The traversing comprises traversing multiple hierarchical tree structures that are carried on the device:

Wang, col. 18, lines 51-53 (see full quote above)

In referring to claim 27, Merriam in view of Wang shows,

• The tree structures are linked:

Wang, col. 19, lines 8-11 (see full quote above)

In referring to claim 28, Merriam in view of Wang shows,

• One of the tree structures comprises nodes that represent geographical divisions of the Earth:

Wang, Fig. 1 shows a tree structure that comprises nodes that represent geographical divisions of the Earth

In referring to claim 29, Merriam in view of Wang shows,

 One of the tree structures comprises nodes that represent geographical divisions of the Earth, and another of the tree structures comprises nodes that represent an organizationspecific structure: Wang, Fig. 22 shows multiple tree structures 835, 820, and 800. The tree structures 835, 820, and 800 represent geographical locations on the Earth, and are organization-specific, as each represents a state, and each state is an organization with its own governing body.

In referring to claim 33, although Merriam shows substantial features of the claimed invention, including the system of claim 30 (see 102 rejection above), Merriam is silent as to the specifics of how the location is determined. Merriam does not show mapping the context information to a node on a hierarchical tree structure that is carried on the device, the hierarchical tree structure comprising multiple nodes that represent physical or logical entities; and traversing one or more nodes of the tree structure to ascertain a complete context. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Wang.

In analogous art, Wang discloses a multiple tree hierarchical portable communication system and method. Wang shows a communication system with hierarchical system of nodes organized into multiple node trees (Wang, Fig. 12 and Fig. 22), the hierarchical system is capable of tracking the location of the transceiver as it moves between nodes and the hierarchical tree structure (Wang, col. 12, lines 18-41).

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and the advantage of modifying the system of Merriam by employing the system of Wang in order to provide a method of mapping the context information to a node on a hierarchical tree structure and for the advantage of efficiently tracking a device location in a hierarchical system.

In referring to claim 34, Merriam in view of Wang shows,

• The traversing comprises traversing multiple hierarchical tree structures that are carried on the device:

Wang, col. 18, lines 51-53 (see full quote above)

Art Unit: 2153

In referring to claim 35, Merriam in view of Wang shows,

• The tree structures are linked:

Wang, col. 19, lines 8-11 (see full quote above)

In referring to claim 36, Merriam in view of Wang shows,

 One of the tree structures comprises nodes that represent geographical divisions of the Earth:

Wang, Fig. 1 shows a tree structure that comprises nodes that represent geographical divisions of the Earth

In referring to claim 37, Merriam in view of Wang shows,

 One of the tree structures comprises nodes that represent geographical divisions of the Earth, and another of the tree structures comprises nodes that represent an organizationspecific structure:

Wang, Fig. 22 shows multiple tree structures 835, 820, and 800. The tree structures 835, 820, and 800 represent geographical locations on the Earth, and are organization-specific, as each represents a state, and each state is an organization with its own governing body.

In referring to claim 53, although Merriam shows substantial features of the claimed invention, including the system of claim 50 (see 102 rejection above), Merriam is silent as to the specifics of how the location is determined. Merriam does not show mapping the context information to a node on a hierarchical tree structure that is carried on the device, the hierarchical tree structure comprising multiple nodes that represent physical or logical entities; and traversing one or more nodes of the tree structure to ascertain a complete context. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Wang.

In analogous art, Wang discloses a multiple tree hierarchical portable communication system and method. Wang shows a communication system with hierarchical system of nodes organized

Art Unit: 2153

into multiple node trees (Wang, Fig. 12 and Fig. 22), the hierarchical system is capable of tracking the location of the transceiver as it moves between nodes and the hierarchical tree structure (Wang, col. 12, lines 18-41).

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and the advantage of modifying the system of Merriam by employing the system of Wang in order to provide a method of mapping the context information to a node on a hierarchical tree structure and for the advantage of efficiently tracking a device location in a hierarchical system.

In referring to claim 54, Merriam in view of Wang shows,

• The traversing comprises traversing multiple hierarchical tree structures that are carried on the device:

Wang, col. 18, lines 51-53 (see full quote above)

In referring to claim 55, Merriam in view of Wang shows,

• The tree structures are linked:

Wang, col. 19, lines 8-11 (see full quote above)

In referring to claim 56, Merriam in view of Wang shows,

• One of the tree structures comprises nodes that represent geographical divisions of the Earth:

Wang, Fig. 1 shows a tree structure that comprises nodes that represent geographical divisions of the Earth

In referring to claim 57, Merriam in view of Wang shows,

 One of the tree structures comprises nodes that represent geographical divisions of the Earth, and another of the tree structures comprises nodes that represent an organizationspecific structure:

Art Unit: 2153

Wang, Fig. 22 shows multiple tree structures 835, 820, and 800. The tree structures 835, 820, and 800 represent geographical locations on the Earth, and are organization-specific, as each represents a state, and each state is an organization with its own governing body.

In referring to claim 59, Merriam in view of Wang shows,

A computing device that embodies the computer-readable medium of claim 53:
 Merriam, Fig 2A, shows a computing device 104

In referring to claim 60, Merriam in view of Wang shows,

• A computing device that embodies the computer-readable medium of claim 54: Merriam, Fig 2A, shows a computing device 104

In referring to claim 61, Merriam in view of Wang shows,

• A computing device that embodies the computer-readable medium of claim 55: Merriam, Fig 2A, shows a computing device 104

In referring to claim 62, Merriam in view of Wang shows,

A computing device that embodies the computer-readable medium of claim 56:
 Merriam, Fig 2A, shows a computing device 104

In referring to claim 63, Merriam in view of Wang shows,

A computing device that embodies the computer-readable medium of claim 57:
 Merriam, Fig 2A, shows a computing device 104

In referring to claim 65, Merriam in view of Wang shows,

A mobile computing device that embodies the computer-readable medium of claim 53:
 Merriam, Fig 2A, shows a computing device 104

Art Unit: 2153

In referring to claim 66, Merriam in view of Wang shows,

• A mobile computing device that embodies the computer-readable medium of claim 54: Merriam, Fig 2A, shows a mobile computing device 104

In referring to claim 67, Merriam in view of Wang shows,

• A mobile computing device that embodies the computer-readable medium of claim 55: Merriam, Fig 2A, shows a mobile computing device 104

In referring to claim 68, Merriam in view of Wang shows,

A mobile computing device that embodies the computer-readable medium of claim 56:
 Merriam, Fig 2A, shows a mobile computing device 104

In referring to claim 69, Merriam in view of Wang shows,

• A mobile computing device that embodies the computer-readable medium of claim 57: Merriam, Fig 2A, shows a mobile computing device 104

In referring to claim 70, Merriam shows substantial features of the claimed invention, including:

• Determining a current context of the device by receiving context information from multiple different context providers:

Merriam, col. 2, lines 16-19 (see full quote above)

 Updating the current context of the device by receiving additional context information from one or more context providers:

Merriam, Fig. 3 shows a step of transporting the device 302 and determining the current location 306, updating the context information when the location changes is inherently implied

Art Unit: 2153

However, Merriam is silent as to the specifics of how the location is determined. Merriam does not show mapping the context information to a node on a hierarchical tree structure that is carried on the device, the hierarchical tree structure comprising multiple nodes that represent physical or logical entities; and traversing one or more nodes of the tree structure to ascertain a complete context. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Wang.

In analogous art, Wang discloses a multiple tree hierarchical portable communication system and method. Wang shows a communication system with hierarchical system of nodes organized into multiple node trees (Wang, Fig. 12 and Fig. 22), the hierarchical system is capable of tracking the location of the transceiver as it moves between nodes and the hierarchical tree structure (Wang, col. 12, lines 18-41).

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and the advantage of modifying the system of Merriam by employing the system of Wang in order to provide a method of mapping the context information to a node on a hierarchical tree structure and for the advantage of efficiently tracking a device location in a hierarchical system.

In referring to claim 74, Merriam in view of Wang shows,

The context comprises location:
 The context information in both Merriam and Wang is location information

In referring to claim 75, Merriam in view of Wang shows substantial features of the claimed invention, including:

- The system of claim 70 (see 103 rejection above)
- The device is a mobile computing device:

  Merriam, col. 3, lines 44-51 (see full quote above); a mobile positioning device that has a processor, storage and a working memory is a mobile computing device.

However, Merriam in view of Wang does not explicitly show that the device is handheld. The device of Merriam in view of Wang is transported to various locations and is therefore Art Unit: 2153

portable. A person of ordinary skill in the art would have readily recognized the desirability and the advantage of implementing the system of Merriam in view of Wang as a handheld device in order to minimize the size and weight of said device to facilitate transportation.

In referring to claim 76, Merriam in view of Wang shows,

 One or more computer-readable media having computer-readable instructions thereon which, when executed by the computing device, cause the computing device to implement claim 70:

Merriam, Fig 2A, shows a mobile computing device 104 with computer-readable instructions 216

In referring to claim 80, although Merriam shows substantial features of the claimed invention, including the system of claim 77 (see 102 rejection above), Merriam is silent as to the specifics of how the location is determined. Merriam does not show mapping the context information to a node on a hierarchical tree structure that is carried on the device, the hierarchical tree structure comprising multiple nodes that represent physical or logical entities; and traversing one or more nodes of the tree structure to ascertain a complete context. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Wang.

In analogous art, Wang discloses a multiple tree hierarchical portable communication system and method. Wang shows a communication system with hierarchical system of nodes organized into multiple node trees (Wang, Fig. 12 and Fig. 22), the hierarchical system is capable of tracking the location of the transceiver as it moves between nodes and the hierarchical tree structure (Wang, col. 12, lines 18-41).

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and the advantage of modifying the system of Merriam by employing the system of Wang in order to provide a method of mapping the context information to a node on a hierarchical tree structure and for the advantage of efficiently tracking a device location in a hierarchical system.

Art Unit: 2153

Claims 13, 16-19 and 44-47, are rejected under 35 U.S.C. 103(a) as being unpatentable over Merriam in view of Ranger (U.S. Patent Number 6,301,584, hereinafter "Ranger").

In referring to claims 13, although Merriam shows substantial features of the claimed invention, including the system of claim 12 (see 103 rejection above), Merriam does not show the use of a confidence/trust parameter. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Ranger.

In analogous art, Ranger discloses a data integration system and method gathers information dynamically from one or more data sources. Ranger shows using a confidence/trust parameter to resolve conflicts between information received from to context sources: "Agent A returns with not one but two "Bob Smith", one living in New York and the other in Newark. Determining whether there are two persons named Bob Smith or only one with a conflicting address depends on how much to trust Agent A to be accurate or, in other words, whether its data source contains the correct addresses. For this purpose, a reliability or confidence parameter 227-8 is assigned to the agent. If the confidence parameter for agent A is 100%, then there are two persons named Bob Smith and two entities are thus shown to the user. On the other hand, if Agent A has a confidence parameter of only 10%, then the one entity is produced, showing two possibilities for a property value, e.g. "New York OR Newark"." (Ranger, col. 19, lines 55-67)

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Merriam so as to use a confidence/trust parameter, such as taught by Ranger, in order to resolve any conflicts between information received from the context sources.

Although Merriam in view of Ranger shows substantial features of the claimed invention, including the system above, Merriam in view of Ranger does not show decreasing the confidence parameter over time when no context providers can be found. The confidence parameter in the system of Merriam in view of Ranger provides a means for gauging the accuracy of the context data. If no new data is able to be received from context providers, the system would be unable to verify that the current context is correct. A person of ordinary skill in the art would have readily

recognized the desirability and advantages of modifying the system of Merriam in view of Ranger to decrease the confidence parameter over time when the system has no way of knowing if the device is being transported.

In referring to claims 16-19, although Merriam shows substantial features of the claimed invention, including the system of claim 1 (see 102 rejection above), Merriam does not show ordering the context providers in accordance with a confidence/trust parameter. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Ranger.

In analogous art, Ranger discloses a data integration system and method gathers information dynamically from one or more data sources. Ranger shows using a confidence/trust parameter to resolve conflicts between information received from to context sources: *Ranger*, *col.* 19, *lines* 55-67 (see full quote above)

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Merriam so as to use a confidence/trust parameter, such as taught by Ranger, in order to resolve any conflicts between information received from the context sources.

In referring to claims 41, although Merriam shows substantial features of the claimed invention, including the system of claim 40 (see 103 rejection above), Merriam does not show the use of a confidence/trust parameter. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Ranger.

In analogous art, Ranger discloses a data integration system and method gathers information dynamically from one or more data sources. Ranger shows using a confidence/trust parameter to resolve conflicts between information received from to context sources: "Agent A returns with not one but two "Bob Smith", one living in New York and the other in Newark. Determining whether there are two persons named Bob Smith or only one with a conflicting address depends on how much to trust Agent A to be accurate or, in other words, whether its data source contains

Art Unit: 2153

the correct addresses. For this purpose, a reliability or confidence parameter 227-8 is assigned to the agent. If the confidence parameter for agent A is 100%, then there are two persons named Bob Smith and two entities are thus shown to the user. On the other hand, if Agent A has a confidence parameter of only 10%, then the one entity is produced, showing two possibilities for a property value, e.g. "New York OR Newark"." (Ranger, col. 19, lines 55-67)

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Merriam so as to use a confidence/trust parameter, such as taught by Ranger, in order to resolve any conflicts between information received from the context sources.

Although Merriam in view of Ranger shows substantial features of the claimed invention, including the system above, Merriam in view of Ranger does not show decreasing the confidence parameter over time when no context providers can be found. The confidence parameter in the system of Merriam in view of Ranger provides a means for gauging the accuracy of the context data. If no new data is able to be received from context providers, the system would be unable to verify that the current context is correct. A person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Merriam in view of Ranger to decrease the confidence parameter over time when the system has no way of knowing if the device is being transported.

In referring to claims 44-47, although Merriam shows substantial features of the claimed invention, including the system of claim 30 (see 102 rejection above), Merriam does not show ordering the context providers in accordance with a confidence/trust parameter. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam as evidenced by Ranger.

In analogous art, Ranger discloses a data integration system and method gathers information dynamically from one or more data sources. Ranger shows using a confidence/trust parameter to resolve conflicts between information received from to context sources: *Ranger*, *col.* 19, *lines* 55-67 (see full quote above)

Art Unit: 2153

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Merriam so as to use a confidence/trust parameter, such as taught by Ranger, in order to resolve any conflicts between information received from the context sources.

Claims 71-73, are rejected under 35 U.S.C. 103(a) as being unpatentable over Merriam in view of Wang and in further view of Ranger.

In referring to claims 71-72, although Merriam in view of Wang shows substantial features of the claimed invention, including the system of claim 70 (see 103 rejection above), Merriam in view of Wang does not show ordering the context providers in accordance with a confidence/trust parameter. Nonetheless this feature is well known in the art and would have been an obvious modification to the system disclosed by Merriam in view of Wang as evidenced by Ranger.

In analogous art, Ranger discloses a data integration system and method gathers information dynamically from one or more data sources. Ranger shows using a confidence/trust parameter to resolve conflicts between information received from to context sources: *Ranger*, col. 19, lines 55-67 (see full quote above)

Given these teachings, a person of ordinary skill in the art would have readily recognized the desirability and advantages of modifying the system of Merriam in view of Wang so as to use a confidence/trust parameter, such as taught by Ranger, in order to resolve any conflicts between information received from the context sources.

In referring to claim 73, although Merriam in view of Wang and in further view of Ranger shows substantial features of the claimed invention, Merriam in view of Wang and in further view of Ranger does not show conflicts are resolved on the basis of physical world constraints to travel. Nonetheless this feature is well known in the art and would have been an obvious addition to the system disclosed by Merriam in view of Wang and in further view of Ranger.

Art Unit: 2153

The system disclosed by Merriam in view of Wang and in further view of Ranger determines the location of a mobile computing device by receiving signals from various context providers.

If the current location of the device is somewhere in Florida, and within a small time frame the device starts to receive a first signal with a location in California, and a second signal with a location in Georgia, it would be obvious to have the system automatically choose the signal that shows the location to be Georgia. The Georgia signal would be more likely, due to the time it takes to travel from Florida to the other locations. A person of ordinary skill in the art would have readily recognized the desirability and advantages of implementing the system of Merriam in view of Wang and in further view of Ranger to recognize obvious errors based on geographical constraints.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott M. Klinger whose telephone number is (703) 305-8285. The examiner can normally be reached on M-F 7:00am - 3:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Burgess can be reached on (703) 305-4792. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Scott M. Klinger

Examiner

Art Unit 2153

smk

FRANTZ'B. JEAN PRIMARY EXAMINER